UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/726,372	12/03/2003	Fatih Ozluturk	I-2-0566.1US	7154
²⁴³⁷⁴ VOLPE AND F	7590 03/27/200 KOENIG, P.C .	EXAMINER		
DEPT. ICC		ADDY, ANTHONY S		
UNITED PLAZA, SUITE 1600 30 SOUTH 17TH STREET PHILADELPHIA, PA 19103			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			03/27/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/726,372	OZLUTURK ET AL.		
Office Action Summary	Examiner	Art Unit		
	ANTHONY S. ADDY	2617		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tinuity will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on 03/13 2a) This action is FINAL . 2b) This 3) Since this application is in condition for alloward closed in accordance with the practice under Example 1.	action is non-final. nce except for formal matters, pre			
Disposition of Claims				
4) ☐ Claim(s) 1-10 and 12-18 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 and 12-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.			
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the drawing(s) be held in abeyance. Se cion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

10/726,372 Art Unit: 2617

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 13, 2008 has been entered. Claims 1-10 and 12-18 are pending in the present application.

Response to Arguments

- 2. Applicant's arguments with respect to **claims 1-10** and **12-18** have been considered but are moot in view of the new ground(s) of rejection. Arguments are directed to newly added limitations and the new ground(s) of rejection based on the newly added limitations follow below.
- 3. Additionally, Applicant's failure to adequately traverse the Examiner's taking of Official Notice in the last Office Action is taken as an admission of the fact noticed (i.e., the use of a digital signal processor (DSP) and a reduced instruction set (RISC) processor are very well known in the art).

Claim Rejections - 35 USC § 103

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

10/726,372 Art Unit: 2617

5. Claim 1-6, 8-10 and 12-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Keskar et al., U.S. Publication Number 2004/0259536 A1 (hereinafter Keskar) and further in view of Abbott et al., U.S. Publication Number 2003/0046401 A1 (hereinafter Abbott).

Regarding claims 1, 6, 12, 13 and 18, Keskar teaches a method of optimizing user inputs (see Fig. 2) and an electronic user cognitive device (see abstract, p. 1 [0011] and Fig. 1; shows a mobile device 155) comprising: a user input device configured to receive input from a user (see p. 1 [0012] and p. 3 [0022]); a user device processing unit configured to perform functions of the electronic device (see p. 3 [0021-0022]); a user interaction pattern monitoring device configured to monitor user interaction patterns of the user, monitoring device parameter settings, and correlating user interaction patterns with device parameter settings (see p. 1 [0012], p. 2 [0018], p. 3 [0021] and Fig. 1; shows a preprocessing module 150 [i.e. reads on a user interaction pattern monitoring device); an associated memory configured to store user interaction patterns, device parameter state, and correlation information (see p. 2 [0014] and p. 3 [0021-0022]); a cognitive logic device configured to analyze the user interaction patterns, parameter state, and correlation information and configured to determine adjustments to the user device processing unit corresponding to particular user input (see p. 2 [0014-0016, 0018 & 0020], p. 3 [0021] and Fig. 1; shows a context processing module 100 [i.e. reads on a cognitive logic device for analyzing the user interaction patterns]); and a user device processing unit controller configured to dynamically adjust the user device processing unit in response to receipt of the user input in accordance

10/726,372

Art Unit: 2617

with the determined adjustments (see p. 2 [0014-0016, 0018 & 0020] and p. 3 [0021-0022]).

Although, Keskar teaches for example that, the Context module 100 may be configured to "learn" from the user's pattern of behavior that each time the PDA is placed face down, the device should be instructed to turn off all audible alerts or if the user places the PDA in a carrying case, the Context module 100 may therefore configure the mobile device to increase its alert level or its pitch, and this type of "learning" behavior may be used independently and/or in conjunction with explicit preferences that the user may set which broadly reads on correlating user pattern behaviors based on predictability factors (see p. 2 [0015, 0016 & 0018]), Keskar fails to explicitly teach the user pattern monitoring device configured to calculate predictability factors, store the predictability factors, the cognitive logic device configured to determine adjustments, wherein the adjustments are based on the calculated predictability factors, and the user device processing unit controller configured to dynamically adjust in accordance with the determined adjustments when the predictability factors reach a predetermined level.

In an analogous field of endeavor, Abbott teaches a method, system and computer-readable medium are described for dynamically determining an appropriate user interface ("UI") to be provided to a user, wherein a pattern recognition engine determines a predictive correlation by monitoring user patterns and dynamically determining an appropriate user interface ("UI") to be provided to a user in accordance

10/726,372 Art Unit: 2617

with the determined predictability factors (see abstract, p. 17 [0471] and p. 24 [0782-0785]).

It would therefore have been obvious to one of ordinary skill in the art at the time of the invention to modify Keskar with the teachings of Abbott to include calculating predictability factors and the user device processing unit controller configured to dynamically adjust the user device when the predictability factors reach a predetermined level, in order to dynamically determine an appropriate user interface to be provided to a user so that the current user interface is appropriate for a current context of the user as taught by Abbott (see p. 2 [0030]).

Regarding claims 2, 8 and 14, Keskar in view of Abbott teaches all the limitations of claims 1, 6 and 13. Keskar in view of Abbott further teaches a method and an electronic device, wherein the determined adjustments include changes to parameters, configurations and states of the user device processing unit (see *Keskar*, p. 2 [0015-0019]).

Regarding claims 3, 9 and 15, Keskar in view of Abbott teaches all the limitations of claims 1, 6 and 13. Keskar in view of Abbott further teaches a method and an electronic device, wherein the cognitive logic device that creates dynamic rules based on continuous analysis of user interaction patterns, parameter state, correlation information and predictability factors (see *Keskar*, p. 2 [0015, 0016 & 0018] and *Abbott*, p. 17 [0471] and p. 24 [0782-0785]).

Regarding claims 4, 10 and 16, Keskar in view of Abbott teaches all the limitations of claims 3, 6 and 15. Keskar in view of Abbott further teaches a method and

10/726,372 Art Unit: 2617

an electronic device, wherein the user device unit controller selectively turns off rules in response to user interaction through the user input device (see *Keskar*, p. 2 [0017]).

Regarding claims 5 and 17, Keskar in view of Abbott teaches all the limitations of claims 1 and 13. Keskar in view of Abbott further teaches a method and an electronic device further configured for multiple users, wherein the cognitive logic device categorizes the use pattern information into either common interaction patterns or style interaction patterns and adjusting the electronic device based on the common interaction patterns and selectively adjusting the electronic device based on the style interaction patterns in response to a current user interaction style (see *Keskar*, p. 2 [0014-0020]).

6. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Keskar et al., U.S. Publication Number 2004/0259536 A1 (hereinafter Keskar) and further in view of Abbott et al., U.S. Publication Number 2003/0046401 A1 (hereinafter Abbott) as applied to claim 1 above, and further in view of Well Known Prior Art – Official Notice.

Regarding claim 7, Keskar in view of Abbott teaches all the limitations of claims
6. Keskar in view of Abbott fails to explicitly teach the processing unit comprises a digital signal processor (DSP) and a reduced instruction set (RISC) processor.

However, the examiner takes Official Notice that the use of a digital signal processor (DSP) and a reduced instruction set (RISC) processor is very well known in the art and therefore, it would have been obvious to one of ordinary skill in the art at the

10/726,372

Art Unit: 2617

time of the invention to implement a digital signal processor (DSP) and a reduced instruction set (RISC) processor in the device of Keskar and Abbott, in order to provide a sufficient advantage and acceptable response time to the user interface of the mobile device when user pattern recognition functions are applied to complex data sets.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANTHONY S. ADDY whose telephone number is (571)272-7795. The examiner can normally be reached on Mon-Thur 8:00am-6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duc M. Nguyen can be reached on 571-272-7503. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

10/726,372 Art Unit: 2617

/Anthony S Addy/ Examiner, Art Unit 2617

/Duc Nguyen/ Supervisory Patent Examiner, Art Unit 2617 Page 8